

PATENT COOPERATION TREATY

AG

From the
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:
GAL EHRLICH
PRTSI, INC.
P.O. BOX 16446
ARLINGTON, VA 22215

RECEIVED

20 OCT 2008

FILE No. 34316

G.E. EHRLICH (1995) LTD.

PCT

NOTIFICATION OF TRANSMITTAL OF
INTERNATIONAL PRELIMINARY
REPORT ON PATENTABILITY
(Chapter II of the Patent Cooperation Treaty)

(PCT Rule 71.1)

Date of mailing
(day/month/year)

14 OCT 2008

Applicant's or agent's file reference

34316

IMPORTANT NOTIFICATION

International application No.

PCT/IL06/00346

International filing date (day/month/year)

16 March 2006 (16.03.2006)

Priority date (day/month/year)

17 March 2005 (17.03.2005)

Applicant

CONTIPI LTD.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary report on patentability and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary report on patentability. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the *PCT Applicant's Guide*.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed invention is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the IPEA/ US

Mail Stop PCT, Attn: IPEA/US
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Facsimile No. (571) 273-3201

Authorized officer

Samuel G. Gilbert

Telephone No. 866-217-9197

Samuel G. Gilbert
See



PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 34316	FOR FURTHER ACTION		See Form PCT/IPEA/416																								
International application No. PCT/IL06/00346	International filing date (<i>day/month/year</i>) 16 March 2006 (16.03.2006)	Priority date (<i>day/month/year</i>) 17 March 2005 (17.03.2005)																									
International Patent Classification (IPC) or national classification and IPC IPC: A61F 2/00(2006.01) USPC: 600/29																											
Applicant CONTIPI LTD.																											
<p>1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of <u>7</u> sheets, including this cover sheet.</p> <p>3. This report is also accompanied by ANNEXES, comprising:</p> <p style="margin-left: 20px;">a. <input type="checkbox"/> (<i>sent to the applicant and to the International Bureau</i>) a total of <u>10</u> sheets, as follows:</p> <p style="margin-left: 40px;"><input type="checkbox"/> sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).</p> <p style="margin-left: 40px;"><input type="checkbox"/> sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.</p> <p style="margin-left: 20px;">b. <input type="checkbox"/> (<i>sent to the International Bureau only</i>) a total of (indicate type and number of electronic carrier(s)) _____, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).</p>																											
<p>4. This report contains indications relating to the following items:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; text-align: center;"><input checked="" type="checkbox"/></td> <td style="width: 20%;">Box No. I</td> <td>Basis of the report</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. II</td> <td>Priority</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. III</td> <td>Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. IV</td> <td>Lack of unity of invention</td> </tr> <tr> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td>Box No. V</td> <td>Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. VI</td> <td>Certain documents cited</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. VII</td> <td>Certain defects in the international application</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>Box No. VIII</td> <td>Certain observations on the international application</td> </tr> </table>				<input checked="" type="checkbox"/>	Box No. I	Basis of the report	<input type="checkbox"/>	Box No. II	Priority	<input type="checkbox"/>	Box No. III	Non-establishment of opinion with regard to novelty, inventive step and industrial applicability	<input type="checkbox"/>	Box No. IV	Lack of unity of invention	<input checked="" type="checkbox"/>	Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement	<input type="checkbox"/>	Box No. VI	Certain documents cited	<input type="checkbox"/>	Box No. VII	Certain defects in the international application	<input type="checkbox"/>	Box No. VIII	Certain observations on the international application
<input checked="" type="checkbox"/>	Box No. I	Basis of the report																									
<input type="checkbox"/>	Box No. II	Priority																									
<input type="checkbox"/>	Box No. III	Non-establishment of opinion with regard to novelty, inventive step and industrial applicability																									
<input type="checkbox"/>	Box No. IV	Lack of unity of invention																									
<input checked="" type="checkbox"/>	Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement																									
<input type="checkbox"/>	Box No. VI	Certain documents cited																									
<input type="checkbox"/>	Box No. VII	Certain defects in the international application																									
<input type="checkbox"/>	Box No. VIII	Certain observations on the international application																									
Date of submission of the demand 12 March 2007 (12.03.2007)		Date of completion of this report 14 August 2008 (14.08.2008)																									
Name and mailing address of the IPEA/ US Mail Stop PCT, Attn: IPEA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (571) 273-3201		Authorized officer Samuel G. Gilbert  Telephone No. 866-217-9197 																									

Box No. I Basis of the report

1. With regard to the **language**, this report is based on:

- ☒ the international application in the language in which it was filed.
- ☐ a translation of the international application into _____, which is the language of a translation furnished for the purposes of:
- ☐ international search (under Rules 12.3(a) and 23.1(b))
- ☐ publication of the international application (under Rule 12.4(a))
- ☐ international preliminary examination (under Rules 55.2(a) and/or 55.3(a))

2. With regard to the **elements** of the international application, this report is based on (*replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report*):

- ☐ the international application as originally filed/furnished
- ☒ the description:
 pages 1-55 as originally filed/furnished
 pages* NONE received by this Authority on _____
 pages* NONE received by this Authority on _____
- ☒ the claims:
 pages 57,59 and 60 as originally filed/furnished
 pages* NONE as amended (together with any statement) under Article 19
 pages* 56,58 and 61-65 received by this Authority on 12 March 2007 (12.03.2007)
 pages* NONE received by this Authority on _____
- ☒ the drawings:
 pages 1/34-34/34 as originally filed/furnished
 pages* NONE received by this Authority on _____
 pages* NONE received by this Authority on _____
- ☐ a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.

3. ☒ The amendments have resulted in the cancellation of:

- ☒ the description, pages None
- ☒ the claims, Nos. None
- ☒ the drawings, sheets/figs None
- ☒ the sequence listing (*specify*): None
- ☒ any table(s) related to the sequence listing (*specify*): None

4. ☐ This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).

- ☐ the description, pages _____
- ☐ the claims, Nos. _____
- ☐ the drawings, sheets/figs _____
- ☐ the sequence listing (*specify*): _____
- ☐ any table(s) related to the sequence listing (*specify*): _____

5. ☐ This report has been established taking into account the **rectification of an obvious mistake** authorized by or notified to this Authority under Rule 91 (Rule 70.2(e)).

* If item 4 applies, some or all of those sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/IL06/00346**Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

1. Statement

Novelty (N)

Claims Please See Continuation Sheet YESClaims Please See Continuation Sheet NO

Inventive Step (IS)

Claims Please See Continuation Sheet YESClaims Please See Continuation Sheet NO

Industrial Applicability (IA)

Claims Please See Continuation Sheet YESClaims Please See Continuation Sheet NO

2. Citations and Explanations (Rule 70.7)

Please See Continuation Sheet

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of:

V.1. Reasoned Statements:

The opinion as to Novelty was positive (Yes) with respect to claims 5, 12, 15, 18, 34-48, 55-58, 63, 65, 68-69, 72-77, 82, 89-90

The opinion as to Novelty was negative (No) with respect to claims 1-4, 6-11, 13-14, 16-17, 19-33, 49-54, 59-62, 64, 66-67, 70-71, 78-81, 83-88

The opinion as to Inventive Step was positive (Yes) with respect to claims 5, 12, 15, 18, 34-48, 55-58, 63, 65, 68-69, 72-77, 82, 89-90

The opinion as to Inventive Step was negative (NO) with respect to claims 1-4, 6-11, 13-14, 16-17, 19-33, 49-54, 59-62, 64, 66-67, 70-71, 78-81, 83-88

The opinion as to Industrial Applicability was positive (YES) with respect to claims 1-90

The opinion as to Industrial Applicability was negative (NO) with respect to claims NONE

V. 2. Citations and Explanations:

Claims 1-4, 6-11, 13-14, 16, 17, 19-33, 49-54, 59-61, 64, 66-67, 70-71, 78-81, and 83-88 lack novelty under PCT Article 33(2) as being anticipated by Ziv (WO 2004/103213)

Ziv teaches an apparatus for treating urinary incontinence, comprising:

a support section that is flexible and is adapted for providing urethral support;

an anchoring section for resisting movement of said apparatus;

an insert, a portion of which is adapted to be positioned proximal to said support section;

a cover that substantially encapsulates said apparatus which also expands in response to movement by the insert and therefore can be considered part of the support section;

a removal device that changes the apparatus from a first stable position wherein the device is insertable and removable, to a second stable position wherein the device provides support to the urethra;

wherein said apparatus is flexible;

wherein said insert selectively provides at least support to said support section of said apparatus;

wherein said insert is adapted to provide pressure to said support section causing expansion of said support section which is cylindrical and thus expands radially; wherein a portion of said insert is elastic whereby the deformation of the elastic portion provides pressure to expand said support section;

wherein said support section is comprised of at least one support arm shaped like a tube;

wherein said insert is comprised of at least a supporting protrusion and a locking protrusion and

wherein said apparatus is inserted so that pressure is applied internally to provide mid-urethral support.

Further, an apparatus for treating urinary incontinence comprising:

Supplemental Box

a support section adapted to render mid-urethral support which is cylindrical and is considered to be a support arm;
 an anchoring section which inherently resists movement of said apparatus;
 a removal device;
 a cover that substantially encapsulates said apparatus;

wherein the entire device is inserted and is therefore considered to be an insert comprising a first material which exhibits first material properties and at least a second material making up a tensile element or resilient support member, wherein the second material exhibits second material properties including elasticity and flexibility, wherein the insert selectively expands said support section;

wherein the first material is a fibrous material and is layered with the second material the combination of which is elastic and flexible in order to provide comfort and support during movement of the user;

wherein the second material can also be considered to be an insert that is positioned proximal to and provides support to said support section;

wherein said support section is flared and wherein the general shape of the entire device is conical;

wherein the two materials of the insert are different sizes and are rolled or folded together such that they are considered to be geometrically interlocking elements; and

wherein the second material or resilient support member biases the support section away from a central axis of said apparatus;
 wherein the layers of said insert are a plurality of components removably fitted together.

Ziv also teaches an apparatus capable of being used to treat urinary incontinence, comprising:

a central node that is a rolled sheet or flexible membrane and is considered a bi-stable component as it provides structures to prevent movement in an x and y direction; and

a plurality of protrusions for both support and for anchoring, located on said node;

a removal device or pull-string attached to said bi-stable component for changing the apparatus from a second stable position to a first stable position;

wherein the apparatus has said first stable position wherein the apparatus is external to the user and said second stable position wherein the apparatus is internal to the user and said protrusions are expanded to render support;

wherein the plurality of protrusions or arms is a support section.

Ziv further teaches an apparatus capable of being used to treat urinary incontinence, comprising:

a connector and

a plurality of scrolling sections;

wherein said connector is flexible as it is made of flexible material wherein said plurality of scrolling sections means two sections as there are two scrolled ends as well as two different scrolled materials, the two scrolled ends being on opposite sides of the connector which encases them.

Applicant's attention is invited to the embodiments of Figures 3, and 11-13.

Ziv teaches an apparatus capable of extending the shelf life of a vaginal insertable device, comprising:

an enclosure adapted for receipt of at least a first portion of said device and vaginal insertion;

a section adapted for receipt of at least a second portion of said device such that said second portion is at least partially expanded;

wherein said section is a flared enclosure that is narrower at one end than the other;

wherein said section is provided with a plurality of slots between petals, the slots being sized and numbered to accommodate said second portion of said device.

Ziv teaches an apparatus for motivating a vaginally insertable device, comprising:

an outer section or plunger, adapted for insertion into an applicator or enclosure;

an inner section or insert, capable of coaxial insertion into and movement within said outer section;

a ring, wherein said ring is located on said outer section such that friction is created by the ring when there is movement of said apparatus relative to said applicator wherein said outer section or plunger is substantially located within said applicator or enclosure during storage and

wherein said insert is attached to a removal device.

Claim 5 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising: a support section, an anchoring section, an insert adapted to be positioned proximal to said support section and that selectively provides at least support to said support section wherein said insert is an o-ring.

Claim 12 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising: a support section, an anchoring section, an insert adapted to be positioned proximal to said support section and that selectively provides at least support to said support section wherein said insert is an invertible membrane.

Claim 15 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising: a support section, an anchoring section, an insert adapted to be positioned proximal to said

Supplemental Box

support section and that selectively provides at least support to said support section wherein said insert is an resilient support member that biases at least said support section towards a central axis of said apparatus.

Claim 18 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising: a support section, an anchoring section, an insert adapted to be positioned proximal to said support section and that selectively provides at least support to said support section wherein said support section and anchoring section are comprised of at least 2 arms with a folding section.

Claims 34-40 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising: a support section, an anchoring section, at least one expander node provided with at least one expander connected to said apparatus, an elastic member that passes through said at least one expander node and a removable safety catch provided to an expanded end of said elastic member which prevents expanded end from passing through said at least one expander node, wherein said elastic member is substantially unstretched.

Claims 41-48 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence, comprising a support section, an anchoring section, a first groove, and an elastomeric ring positioned on an exterior surface of said apparatus within said first groove, wherein said elastomeric ring provides compression forces to at least a portion of said apparatus.

Claims 55-58 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence comprising a support section having a plurality of support arms, a removal device, and a bi-stable component that is a locking element or a ring slidable on an exterior of said apparatus from a first groove to a second groove; wherein the apparatus is movable from a first stable position associated with said first groove to a second stable position associated with said second groove.

Claim 63 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence comprising a support section and an insert comprising a first material which exhibits first material properties and at least a second material which exhibits second material properties, wherein said insert expands said support section and wherein said second material is more rigid than the support section.

Claim 65 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence comprising a central node that is a rolled sheet, a plurality of support protrusions located on said node and a plurality of anchor protrusions also located on said node wherein said central node has a larger diameter on one end than the other end when rolled.

Claims 68 and 69 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for treating urinary incontinence comprising a connector and a plurality of scrolling sections wherein said scrolling sections are provided with a plurality of protrusions for rendering urethral support or anchoring.

Claim 72-77 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus for inserting a vaginal device comprising an enclosure and a lubricating element located externally of said enclosure, wherein said lubricating element is a ring located around a circumference of said enclosure.

Claim 82 meets the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest an apparatus comprising an enclosure adapted for receipt of at least a first portion of a vaginally insertable device and vaginal insertion, and a section adapted for receipt of at least a second portion of said device such that said second portion is at least partially expanded, wherein the apparatus further comprises a slidable sleeve located externally of said enclosure for repositioning said second portion of said device prior to insertion of said device into a user.

Claims 89 and 90 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest a collapsible apparatus for inserting a vaginal device comprising an enclosure and a plunger adapted to coaxially first within said enclosure, an insert provided to said vaginal device, wherein said insert is attached to a removal/activator device; wherein said removal/activator device is removably latched to the plunger and wherein movement of the plunger out of the enclosure moves said insert at least partially through the vaginal device.

Supplemental Box

WO 2004/103213 A1 (ELAN ZIV) 02 December 2004. See entire document.

CLAIMS

1. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing urethral support;
an anchoring section adapted for resisting movement of said apparatus in a vagina;
an insert separate from the support section, a portion of which is adapted to be positioned proximal to said support section; and,
wherein said insert selectively provides at least support to said support section of said apparatus.
2. An apparatus according to claim 1, wherein said insert is adapted to provide pressure to said support section, causing radial expansion of said support section.
3. An apparatus according to claim 1, wherein said support section is flexible.
4. An apparatus according to claim 1, wherein said support section is comprised of at least one support arm.
5. An apparatus according to claim 1 wherein said insert is an o-ring.
6. An apparatus according to claim 1, wherein said insert is flared.
7. An apparatus according to claim 1 wherein urethral support is mid-urethral support.
8. An apparatus according to claim 1, further comprising a cover.
9. An apparatus according to claim 1, wherein said insert is conical.
10. An apparatus according to claim 1, wherein said insert is comprised of a plurality of geometrically interlocking elements.

11. An apparatus according to claim 1, wherein said insert is comprised of at least a supporting protrusion and a locking protrusion.
12. An apparatus according to claim 1, wherein said insert is an invertible membrane.
13. An apparatus according to claim 1, wherein said insert is a ringed insert.
14. An apparatus according to claim 1, further comprising a resilient support member.
15. An apparatus according to claim 14, wherein said resilient support member biases at least said support section towards a central axis of said apparatus.
16. An apparatus according to claim 14, wherein said resilient support member biases at least said support section away from a central axis of said apparatus.
17. An apparatus according to claim 1, wherein said support section and anchoring section are comprised of at least 2 arms, respectively.
18. An apparatus according to claim 17, wherein said arms are provided with a folding section.
19. An apparatus according to claim 8, wherein said cover substantially encapsulates said apparatus.
20. An apparatus according to claim 1, wherein at least said support section and said anchoring section are flexible.
21. An apparatus according to claim 1, wherein said apparatus is flexible.
22. An apparatus according to claim 1, further comprising a removal device.

23. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing urethral support;
an anchoring section adapted for resisting movement of said apparatus in a vagina; and,
an insert, adapted to provide at least support to said support section and at least a portion of said insert being elastic.
24. An apparatus according to claim 23, wherein said insert is comprised of a plurality of components removably fitted together.
25. An apparatus according to claim 23, wherein said insert urges said support section radially outwards from a central axis of said apparatus.
26. An apparatus according to claim 23, wherein said insert is provided with an expanded end which provides radial expansion to said anchoring section.
27. An apparatus according to claim 23, further comprising a cover.
28. An apparatus according to claim 27, wherein said cover substantially encapsulates said apparatus.
29. An apparatus according to claim 23, wherein at least said support section and said anchoring section are flexible.
30. An apparatus according to claim 23, wherein said apparatus is flexible.
31. An apparatus according to claim 23, further comprising a removal device.
32. An apparatus according to claim 23, wherein urethral support is mid-urethral support.

33. An apparatus according to claim 23, wherein said support section is comprised of at least one support arm.
34. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing urethral support;
an anchoring section for resisting movement of said apparatus;
at least one expander node, provided with at least one expander connected to said apparatus;
an elastic member which passes through said at least one expander node;
a removable safety catch provided to an expanded end of said elastic member which prevents expanded end from passing through said at least one expander node, and,
wherein when said elastic member is substantially unstretched, the at least one expander causes radial expansion of said apparatus.
35. An apparatus according to claim 34, further comprising a cover.
36. An apparatus according to claim 35, wherein said cover substantially encapsulates said node, support section and said anchoring section.
37. An apparatus according to claim 34, wherein at least said support section and said anchoring section are flexible.
38. An apparatus according to claim 34, further comprising a removal device provided to the safety catch.
39. An apparatus according to claim 34, wherein the urethral support is mid-urethral support.
40. An apparatus according to claim 34, wherein the support section is comprised of at least one support arm.

41. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing urethral support;
an anchoring section for resisting movement of said apparatus;
a first groove;
an elastomeric ring positioned on an exterior surface of said apparatus within said first groove; and,
wherein said elastomeric ring provides compression force to at least a portion of said apparatus.
42. An apparatus according to claim 41, wherein said elastomeric ring applies compression force to said support section to effectuate radial contraction of said support section.
43. An apparatus according to claim 41, further comprising a second groove located between said first groove and said support section.
44. An apparatus according to claim 43, further comprising a pivot piece located in a third groove.
45. An apparatus according to claim 44, wherein upon deployment said elastomeric ring transitions from said first groove to said second groove causing radial expansion of said support and anchor sections.
46. An apparatus according to claim 44, further comprising a removal device attached at least to said pivot piece.
47. An apparatus according to claim 41, further comprising a cover.

48. An apparatus according to claim 41, wherein said support and anchoring sections are flexible.
49. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing selective urethral support;
an anchoring section for resisting movement of said apparatus; and,
a tensile element, said tensile element attached to said support section and said anchoring section and adapted to provide radial expansion to said apparatus.
50. An apparatus according to claim 49, wherein said tensile element is elastic.
51. An apparatus for treating urinary incontinence, comprising:
a support section adapted for providing vaginal urethral support; and,
wherein said apparatus is provided with a first stable position and second stable position, such that when apparatus is in said second stable position said support section renders support to said urethra.
52. An apparatus according to claim 51, wherein said support section is provided with a plurality of support arms.
53. An apparatus according to claim 51, further comprising a bi-stable component wherein said bi-stable component is attached to said support section.
54. An apparatus according to claim 53, wherein said bi-stable component is a flexible membrane.
55. An apparatus according to claim 53, wherein said bi-stable component is a locking element.
56. An apparatus according to claim 53, wherein said bi-stable component is ring.

57. An apparatus according to claim 56, further comprising a first groove associated with said first stable position and a second groove associated with said second stable position.
58. An apparatus according to claim 57, wherein said ring is slidable on an exterior of said apparatus from said first groove to said second groove.
59. An apparatus according to claim 51, further comprising a removal device.
60. An apparatus according to claim 54, wherein a removal device is attached to said bi-stable component for changing said second stable position to said first stable position.
61. An apparatus for treating urinary incontinence, comprising:
a support section adapted to render support to a urethra;
an insert separate from the support section, said insert comprising a first material which exhibits first material properties and at least a second material which exhibits second material properties; and,
wherein said insert selectively expands said support section.
62. An apparatus according to claim 61, wherein said first material is flexible.
63. An apparatus according to claim 61, wherein said second material is more rigid than the support section.
64. An apparatus for treating urinary incontinence, comprising:
a central node, wherein said central node is a rolled sheet;
a plurality of support protrusions located on said node; and,
a plurality of anchor protrusions located on said node.
65. An apparatus according to claim 64, wherein said central node when rolled has a larger diameter on one end than the other end.

66. An apparatus for treating urinary incontinence, comprising:
a connector; and,
a plurality of scrolling sections attached to the connector provided with a larger diameter than the connector at least when deployed.
67. An apparatus according to claim 66, wherein said connector is flexible.
68. An apparatus according to claim 66, wherein said scrolling sections are provided with a plurality of protrusions for rendering urethral support.
69. An apparatus according to claim 66, wherein said scrolling sections are provided with a plurality of protrusions for rendering anchoring.
70. An apparatus according to claim 66, wherein said plurality of scrolling sections means two sections.
71. An apparatus according to claim 70, wherein each of said two sections is located on an opposite end of said connector.
72. An apparatus for inserting a vaginal device, comprising:
an enclosure for containing said vaginal device; and
a lubricating element located externally of said enclosure.
73. An apparatus according to claim 72, wherein said lubricating element is a ring located around a circumference of said enclosure.
74. An apparatus according to claim 72, wherein said lubricating element is a layer of lubricant applied to said enclosure which is revealed when a cover temporarily adhered to said layer is removed.

75. An apparatus according to claim 72, wherein said lubricating element is a sleeve movable with respect to the enclosure and located around a circumference of said enclosure.
76. An apparatus according to claim 72, wherein said lubricating element is a layer of lubrication on said enclosure.
77. An apparatus according to claim 76, wherein said lubrication is highly viscous such that once lubrication is located on said enclosure it substantially remains in place until use.
78. An apparatus for extending the shelf life of a vaginally insertable device, comprising:
an enclosure adapted for receipt of at least a first portion of said device;
a section adapted for receipt of at least a second portion of said device such that said second portion is at least partially expanded; and,
wherein said enclosure is adapted for and vaginal insertion of said first and second portions of said device.
79. An apparatus according to claim 78, wherein said section is a flared enclosure.
80. An apparatus according to claim 78, wherein said section is provided with a plurality of slots.
81. An apparatus according to claim 80, wherein said slots are sized and numbered to accommodate said second portion of said device.
82. An apparatus according to claim 80, further comprising a slidable sleeve located externally of said enclosure for repositioning said second portion of said device prior to insertion of said device into a vagina.

83. An apparatus for motivating a vaginally insertable device, comprising:
an outer section, adapted for insertion into a vaginal applicator;
a separate inner section, capable of insertion into and movement within said outer section; and,
wherein the inner section is adapted to removably lock into the outer section for motivating the vaginally insertable device.
84. An apparatus according to claim 81, further comprising a ring, wherein said ring is located on said outer section such that friction is created by said ring when there is movement of said apparatus relative to said applicator.
85. A collapsible apparatus for inserting a vaginal device, comprising:
an enclosure for containing said vaginal device;
a plunger adapted to coaxially fit within said enclosure; and,
wherein said vaginal device is provided with an insert.
86. An apparatus according to claim 85, wherein said plunger is substantially located within said enclosure during storage.
87. An apparatus according to claim 85, wherein said insert is attached to a removal or activator device.
88. An apparatus according to claim 87, wherein said removal activator device is removably latched to the plunger.
89. An apparatus according to claim 88, wherein movement of the plunger out of the enclosure moves said insert at least partially through the vaginal device.